ELSEVIER

Comput. Methods Appl. Mech. Engrg. 128 (1995) 435–436

Computer methods in applied mechanics and engineering

Author index of Volume 128

Appa, K. and Argyris, J. Non-linear multidisciplinary design optimization using system identification and optimal control theory 419–432
Argyris, J. see Appa, K. 419–432
Argyris, J. and Tenek, L. Postbuckling of composite laminates under compressive load and temperature 49– 79
Babuška, I. see Chen, Q. 405–417
Babuška, I., Ihlenburg, F., Paik, E.T. and Sauter, S.A. A Generalized Finite Element Method for solving the Helmholtz equation in two dimensions with minimal pollution 325–359
Borouchaki, H. and Lo, S.H. Fast Delaunay triangulation in three dimensions 153–167
Burman, E. and Sainsaulieu, L. Numerical analysis of two operator splitting methods for an hyperbolic system of conservation laws with stiff relaxation terms 291–314
Casadei, F. and Halleux, J.P. An algorithm for permanent fluid–structure interaction in explicit transient dynamics 231–289
Chang, C.L., Yang, S.Y. and Hsu, C.H. A least-squares finite element method for incompressible flow in stress–velocity–pressure version 1– 9
Chang, T.Y.P. see Chen, J.S. 137–152
Chen, J.S., Pan, C. and Chang, T.Y.P. On the control of pressure oscillation in bilinear-displacement constant-pressure element 137–152
Chen, Q. and Babuška, I. Approximate optimal points for polynomial interpolation of real functions in an interval and in a triangle 405–417
Dost, S. see Su, J. 11– 23
Häggblad, H.-Å. and Li, W.-B. A micro mechanical based constitutive model for finite element simulation of hot isostatic pressing of powder 191–198
Halleux, J.P. see Casadei, F. 231–289
Hsu, C.H. see Chang, C.L. 1– 9
Ihlenburg, F. see Babuška, I. 325–359
Jonas, J.J. see Szabó, L. 315–323
Karaoğlan, L. and Noor, A.K. Dynamic sensitivity analysis of frictional contact/impact response of axisymmetric composite structures 169–190
Leino, Y. see Pitkäranta, J. 81–121
Li, W.-B. see Häggblad, H.-Å. 191–198
Liu, W.K. see Zhang, Y.-F. 199–230
Lo, S.H. see Borouchaki, H. 153–167
Loula, A.F.D., Rochinha, F.A. and Murad, M.A. Higher-order gradient post-processings for second-order elliptic problems 361–381
Murad, M.A. see Loula, A.F.D. 361–381
Noor, A.K. see Karaoğlan, L. 169–190
Ovaskainen, O. see Pitkäranta, J. 81–121
Paik, E.T. see Babuška, I. 325–359
Pan, C. see Chen, J.S. 137–152

Piila, J. see Pitkäranta, J. 81–121
Pitkäranta, J., Leino, Y., Ovaskainen, O. and Piila, J. Shell deformation states and the finite element method: A benchmark study of cylindrical shells 81–121
Qin, Q.H. Postbuckling analysis of thin plates by a hybrid Trefftz finite element method 123–136
Rochinha, F.A. see Loula, A.F.D. 361–381
Sainsaulieu, L. see Burman, E. 291–314
Sauter, S.A. see Babuška, I. 325–359
Su, J., Tabarrok, B. and Dost, S. A time marching boundary element method for two-dimensional incompressible thermally coupled flows 11– 23
Szabó, L. and Jonas, J.J. Consistent tangent operator for plasticity models based on the plastic strain rate potential 315–323
Tabarrok, B. see Su, J. 11– 23
Tang, L. see Zou, G. 395–404
Tenek, L. see Argyris, J. 49– 79
Wang, H.-P. see Zhang, Y.-F. 199–230
Yang, S.Y. see Chang, C.L. 1– 9
Zhang, Y.-F., Liu, W.K. and Wang, H.-P. Cast filling simulations of thin-walled cavities 199–230
Zhou, M. An efficient DCOC algorithm based on high-quality approximations for the problems including eigenvalue constraints 383–394
Zhu, J. The postbuckling performance of sandwich and composite shells with in-plane shear nonlinearity and unsymmetric layers 25– 47
Zou, G. and Tang, L. A semi-analytical solution for laminated composite plates in Hamiltonian system 395–404

ELSEVIER

Comput. Methods Appl. Mech. Engrg. 128 (1995) 437–441

Computer methods in applied mechanics and engineering

Subject index of Volume 126

Boundary element methods
A time marching boundary element method for two-dimensional incompressible thermally coupled flows, J. Su, B. Tabarrok and S. Dost 11– 23

Control theory
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Coupled problems
A time marching boundary element method for two-dimensional incompressible thermally coupled flows, J. Su, B. Tabarrok and S. Dost 11– 23
An algorithm for permanent fluid–structure interaction in explicit transient dynamics, F. Casadei and J.P. Halleux 231–289
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Design of programs
Fast Delaunay triangulation in three dimensions, H. Borouchaki and S.H. Lo 153–167

Dynamics
Dynamic sensitivity analysis of frictional contact/impact response of axisymmetric composite structures, L. Karaoğlan and A.K. Noor 169–190
An algorithm for permanent fluid–structure interaction in explicit transient dynamics, F. Casadei and J.P. Halleux 231–289
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Elasticity
A semi-analytical solution for laminated composite plates in Hamiltonian system, G. Zou and L. Tang 395–404

Finite difference methods
Numerical analysis of two operator splitting methods for an hyperbolic system of conservation laws with stiff relaxation terms, E. Burman and L. Sainsaulieu 291–314

Finite element and matrix methods
A least-squares finite element method for incompressible flow in stress–velocity–pressure version, C.L. Chang, S.Y. Yang and C.H. Hsu 1– 9
Shell deformation states and the finite element method: A benchmark study of cylindrical shells, J. Pitkäranta, Y. Leino, O. Ovaskainen and J. Piila 81–121

Postbuckling analysis of thin plates by a hybrid Trefftz finite element method, Q.H. Qin 123–136
On the control of pressure oscillation in bilinear-displacement constant-pressure element, J.S. Chen, C. Pan and T.Y.P. Chang 137–152
Fast Delaunay triangulation in three dimensions, H. Borouchaki and S.H. Lo 153–167
Dynamic sensitivity analysis of frictional contact/impact response of axisymmetric composite structures, L. Karaoğlan and A.K. Noor 169–190
A micro mechanical based constitutive model for finite element simulation of hot isostatic pressing of powder, H.-Å. Häggblad and W.-B. Li 191–198
Cast filling simulations of thin-walled cavities, Y.-F. Zhang, W.K. Liu and H.-P. Wang 199–230
An algorithm for permanent fluid–structure interaction in explicit transient dynamics, F. Casadei and J.P. Halleux 231–289
A Generalized Finite Element Method for solving the Helmholtz equation in two dimensions with minimal pollution, I. Babuška, F. Ihlenburg, E.T. Paik and S.A. Sauter 325–359
Higher-order gradient post-processings for second-order elliptic problems, A.F.D. Loula, F.A. Rochinha and M.A. Murad 361–381
Approximate optimal points for polynomial interpolation of real functions in an interval and in a triangle, Q. Chen and I. Babuška 405–417
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Fluid mechanics
A least-squares finite element method for incompressible flow in stress–velocity–pressure version, C.L. Chang, S.Y. Yang and C.H. Hsu 1– 9
On the control of pressure oscillation in bilinear-displacement constant-pressure element, J.S. Chen, C. Pan and T.Y.P. Chang 137–152
Cast filling simulations of thin-walled cavities, Y.-F. Zhang, W.K. Liu and H.-P. Wang 199–230
An algorithm for permanent fluid–structure interaction in explicit transient dynamics, F. Casadei and J.P. Halleux 231–289
Numerical analysis of two operator splitting methods for an hyperbolic system of conservation laws with stiff relaxation terms, E. Burman and L. Sainsaulieu 291–314

Gas dynamics
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

General Rayleigh–Ritz and Galerkin techniques
Shell deformation states and the finite element method: A benchmark study of cylindrical shells, J. Pitkäranta, Y. Leino, O. Ovaskainen and J. Piila 81–121

Heat and diffusion
A micro mechanical based constitutive model for finite element simulation of hot isostatic pressing of powder, H.-Å. Häggblad and W.-B. Li 191–198

Incompressible and near incompressible media
On the control of pressure oscillation in bilinear-displacement constant-pressure element, J.S. Chen, C. Pan and T.Y.P. Chang 137–152

Miscellaneous topics
Fast Delaunay triangulation in three dimensions, H. Borouchaki and S.H. Lo 153–167

Approximate optimal points for polynomial interpolation of real functions in an interval and in a triangle, Q. Chen and I. Babuška 405–417

Nonlinear dynamics of systems
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Nonlinear mechanics
The postbuckling performance of sandwich and composite shells with in-plane shear nonlinearity and unsymmetric layers, J. Zhu 25– 47
Postbuckling of composite laminates under compressive load and temperature, J. Argyris and L. Tenek 49– 80
Postbuckling analysis of thin plates by a hybrid Trefftz finite element method, Q.H. Qin 123–136
Dynamic sensitivity analysis of frictional contact/impact response of axisymmetric composite structures, L. Karaoğlan and A.K. Noor 169–190
Cast filling simulations of thin-walled cavities, Y.-F. Zhang, W.K. Liu and H.-P. Wang 199–230
Numerical analysis of two operator splitting methods for an hyperbolic system of conservation laws with stiff relaxation terms, E. Burman and L. Sainsaulieu 291–314
Consistent tangent operator for plasticity models based on the plastic strain rate potential, L. Szabó and J.J. Jonas 315–323
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Numerical solution procedures
Shell deformation states and the finite element method: A benchmark study of cylindrical shells, J. Pitkäranta, Y. Leino, O. Ovaskainen and J. Piila 81–121
On the control of pressure oscillation in bilinear-displacement constant-pressure element, J.S. Chen, C. Pan and T.Y.P. Chang 137–152
Cast filling simulations of thin-walled cavities, Y.-F. Zhang, W.K. Liu and H.-P. Wang 199–230
Numerical analysis of two operator splitting methods for an hyperbolic system of conservation laws with stiff relaxation terms, E. Burman and L. Sainsaulieu 291–314
Consistent tangent operator for plasticity models based on the plastic strain rate potential, L. Szabó and J.J. Jonas 315–323
Higher-order gradient post-processings for second-order elliptic problems, A.F.D. Loula, F.A. Rochinha and M.A. Murad 361–381
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Optimization and design of structures
An efficient DCOC algorithm based on high-quality approximations for the problems including eigenvalue constraints, M. Zhou 383–394
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Plasticity
Consistent tangent operator for plasticity models based on the plastic strain rate potential, L. Szabó and J.J. Jonas 315–323

Shells and plates
The postbuckling performance of sandwich and composite shells with in-plane shear nonlinearity and unsymmetric layers, J. Zhu 25– 47

Postbuckling of composite laminates under compressive load and temperature, J. Argyris and L. Tenek 49– 80
Shell deformation states and the finite element method: A benchmark study of cylindrical shells, J. Pitkäranta, Y. Leino, O. Ovaskainen and J. Piila 81–121
Postbuckling analysis of thin plates by a hybrid Trefftz finite element method, Q.H. Qin 123–136
A semi-analytical solution for laminated composite plates in Hamiltonian system, G. Zou and L. Tang 395–404

Solutions of ordinary and partial differential equations
A Generalized Finite Element Method for solving the Helmholtz equation in two dimensions with minimal pollution, I. Babuška, F. Ihlenburg, E.T. Paik and S.A. Sauter 325–359
Higher-order gradient post-processings for second-order elliptic problems, A.F.D. Loula, F.A. Rochinha and M.A. Murad 361–381
A semi-analytical solution for laminated composite plates in Hamiltonian system, G. Zou and L. Tang 395–404

Stability in structural mechanics
The postbuckling performance of sandwich and composite shells with in-plane shear nonlinearity and unsymmetric layers, J. Zhu 25– 47
Postbuckling of composite laminates under compressive load and temperature, J. Argyris and L. Tenek 49– 80

Structural mechanics
Postbuckling of composite laminates under compressive load and temperature, J. Argyris and L. Tenek 49– 80
Shell deformation states and the finite element method: A benchmark study of cylindrical shells, J. Pitkäranta, Y. Leino, O. Ovaskainen and J. Piila 81–121
Dynamic sensitivity analysis of frictional contact/impact response of axisymmetric composite structures, L. Karaoğlan and A.K. Noor 169–190
An algorithm for permanent fluid–structure interaction in explicit transient dynamics, F. Casadei and J.P. Halleux 231–289
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Subsonic flow
A least-squares finite element method for incompressible flow in stress–velocity–pressure version, C.L. Chang, S.Y. Yang and C.H. Hsu 1– 9

Supersonic flow
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Systems of linear and nonlinear simultaneous equations
A semi-analytical solution for laminated composite plates in Hamiltonian system, G. Zou and L. Tang 395–404
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Thermal effects and thermodynamics
Non-linear multidisciplinary design optimization using system identification and optimal control theory, K. Appa and J. Argyris 419–432

Viscoelastic and viscoplastic media
A micro mechanical based constitutive model for finite element simulation of hot isostatic pressing of powder, H.-Å. Häggblad and W.-B. Li 191–198

Viscous flow
A time marching boundary element method for two-dimensional incompressible thermally coupled flows, J. Su, B. Tabarrok and S. Dost 11– 23
On the control of pressure oscillation in bilinear-displacement constant-pressure element, J.S. Chen, C. Pan and T.Y.P. Chang 137–152
A micro mechanical based constitutive model for finite element simulation of hot isostatic pressing of powder, H.-Å. Häggblad and W.-B. Li 191–198